
POWER PRODUCTS UGANDA LIMITED

PRODUCT SPECIFICATIONS



Rubaga Kabusu

Plot 103 Rubaga Kabusu Kampala - Masaka Road

Telephone Number(s)

+256 414 341174 | +256 392 176430 +256 758 383266 | +256 758 383340

Emails

sales@powerproductsugandaltd.com info@powerproductsugandaltd.com

KDP30T

DESCRIPTION

For those applications where large solids and other debris are encountered, KIPOR trash pump is designed to smoothly and safely handle that material. Deep impeller vanes and a large diameter discharge opening can pass suspended twigs, stones, and other solids without clogging the pump or harming its internal components.



SPECIFICATION

SFECIFICATION	
Type / Category	Trush Pumps
Engine Type	Single cylinder, four-stroke, direct injection, air cooled
Bore x Stroke	78 x 62 mm
Rated Power/Rated Rotation Speed	4 kW/ (3600 r/min)
Continuous Operating Time	4 hrs
Rotation Speed	3600 r/min
Total Head	16m
Suction	8m
Starting Method	Recoil starter
Self-Priming Time	120 s/4m
Pump Type	Diesel pump
Noise (Zero load to full load) (1 m)	76 dB(A)
Ignition System	T.C.I
Gross Weight	76kg

Rubaga Kabusu

Plot 103 Rubaga Kabusu Kampala - Masaka Road

Telephone Number(s)

+256 414 341174 | +256 392 176430 +256 758 383266 | +256 758 383340

Emails

sales@powerproductsugandaltd.com info@powerproductsugandaltd.com

KDP30T

SPECIFICATION	
Fuel Tank Capacity	5 L
Fuel	Diesel
Displacement	296 cm ³
Engine Model	KM178F
Cooling System	Air cooled
Delivery Volume	30 m³/h
Discharge size	80 mm(3")

Rubaga Kabusu

Plot 103 Rubaga Kabusu Kampala - Masaka Road

Telephone Number(s)

+256 414 341174 | +256 392 176430 +256 758 383266 | +256 758 383340

Emails

sales@powerproductsugandaltd.com info@powerproductsugandaltd.com